Fujitsu recommends Windows 11 Pro.

# Data Sheet FUJITSU Workstation CELSIUS H5511

### For Creators on the Go!

The new FUJITSU Workstation CELSIUS H5511 delivers a perfect combination of power and mobility, all in a thin and light design. With the latest Intel Core processors, NVIDIA professional graphics, antiglare FHD display, and an advanced suite of security features, including PalmSecure<sup>™</sup>, the CELSIUS H5511 helps you run with your creative ideas fast and secure, anywhere, anytime.

Excellent user experience and mobility

- Work on your creative projects in the office, at home or on the move
- Small footprint, slim, lightweight design for improved portability (<2kg / <20.8 mm)</p>
- Ultimate viewing experience with FHD display FHD HDR (500cd & 100% sRGB) or FHD (300cd)
- Anti-glare FHD display with a modern, slim-bezel design that maximizes your viewing area
- Built-in infrared camera provides quick and easy way of logging into the system

Workstation power, more mobile than ever

Pro-level performance on the go

- Latest 11th generation Intel<sup>®</sup> Core<sup>™</sup> processors (i5 or i7) offer unmatched speed and performance
- Power up your ideas and creative workflows with NVIDIA® T500 (4GB VRAM) graphics
- Windows 11 Pro support
- Up to 64GB DDR4 3200MHz memory
- Massive storage capabilities supported by 2x M.2 Storage options (incl. RAID support)
- Support for Intel® Gaussian & Neural Accelerator (Intel® GNA) feature

### Effortless connectivity, superior usability

Stay connected and productive wherever you are

- Latest Intel<sup>®</sup> Thunderbolt<sup>™</sup> 4 technology and USB ports for high-speed file transfer and fast charging, and to keep you connected to external monitors and other accessories
- 2x Thunderbolt 4 interfaces, Type-C
- Wide range of interfaces with full-size LAN connector, full-size HDMI, and USB Type-C

### Advanced security

Protect your enterprise data from unauthorized access. No more passwords to worry about with three unique biometric login options.

- Infrared FHD webcam (IR Hello Cam): Allows face recognition with Windows Hello
- Fingerprint sensor or PalmSecure<sup>™</sup> (optional)
- Built-in Privacy Camera Shutter: For protecting your privacy











# Components

Base unit	CELSIUS H5511	CELSIUS H5511 ESTAR	
Operating systems			
Operating system pre-installed	Windows 11 Pro. Fujitsu recommends Windows 11 Pro for business. Windows 10 Pro		
Operating system compatible	FREE Upgrade to Windows 11* *Upgrade timing may vary by device. Features and app availability may vary by region. Certain features require specific hardware (see aka.ms/windows11-spec).		
Operating system notes	After the end of the product life Fujitsu will continue to test and support all upcoming Windows releases for a period of maximum 5 years, depending on the available extension of hardware services through Fujitsu Warranty top ups. For details please see "Fujitsu Service Statement for Windows General Availability Channel" at https://support.ts.fujitsu.com/IndexProdSupport.asp?Ing=com&OpenTab=		
Processor	Intel <sup>®</sup> Core™ i7-1185G7 proces	sor (4 Cores / 8 Threads, 3.0 GHz, up to 4.8 GHz, NVIDIA® T500)	
	Intel® Core™ i7-1165G7 processor (4 Cores / 8 Threads, 2.8 GHz, up to 4.7 GHz, NVIDIA® T500)		
	Intel® Core™ i5-1145G7 processor (4 Cores / 8 Threads, 2.6 GHz, up to 4.4 GHz, NVIDIA® T500)		
	Intel® Core™ i5-1135G7 proces	sor (4 Cores / 8 Threads, 2.4 GHz, up to 4.2 GHz, NVIDIA® T500)	
Memory modules	8 GB (1 module(s) 8 GB) DDR4	, 3,200 MT/s, SO DIMM	
	16 GB (1 module(s) 16 GB) DDR4, 3,200 MT/s, SO DIMM		
	32 GB (1 module(s) 32 GB) DD	R4, 3,200 MT/s, SO DIMM	
Drives (internal)	PCIe-SSD, 2 TB, M.2 module, S	ED	
	PCIe-SSD, 1 TB, M.2 module, SED		
	PCIe-SSD, 512 GB, M.2 module, SED		
	PCIe-SSD, 256 GB, M.2 module, SED		
Hard disk notes	Accessible capacity may vary, also depending on used software.		
Interface add on cards/components (optional)			
3G/4G (optional)	LTE Sierra Wireless EM7421 (Cat.7)		
Multimedia			
Camera	Built-in FHD IR Camera (Windo	ows Hello certified) with Privacy Shutter	

## Base unit


Base unit	CELSIUS H5511	CELSIUS H5511 ESTAR	
Mainboard type			
Chipset	Integrated in CPU		
Chipset notes	Intel® vPro™ technology dependent on processor type		
Supported capacity RAM (min.)	8 GB		
Supported capacity RAM (max.)	64 GB		
Memory slots	2 SO DIMM (DDR4, 3200 MHz)		
LAN	10/100/1,000 MBit/s Intel® I219LM		
Integrated WLAN	Intel WiFi 6 AX201		
BIOS version	UEFI Specification 2.7		
BIOS features	InsydeH2O BIOS		
Audio type	On board		
Audio codec	Realtek ALC257		

Audio features	2x built-in speakers (stereo)			
MIL-STD tested	Yes, selected MIL-STD-810H tests passed. MIL-STD-810H test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.			
	Accidental damage is not covered under standard	International limited warranty.		
Display	20.6 (45.6 - 1)	22.4.5.4.5.1.		
Diagonal Size	39.6 cm (15.6-inch)	39.6 cm (15.6-inch)		
Display Technology	LED backlit	LED backlit		
Display type	Anti-glare IPS display	Anti-glare IPS display		
Display Resolution type	FHD	FHD		
Resolution (native)	1,920 x 1,080 pixel	1,920 x 1,280 pixel		
Aspect ratio	16:9	16:9		
Brightness - typical	500 or 300 cd/m <sup>2</sup> (depending on display)	500 or 300 cd/m <sup>2</sup> (depending on display)		
Contrast - typical	800:1 or 700:1 typ. (depending on display)	800:1 or 700:1 typ. (depending on display)		
Viewing angle (h/v) - typical	170°/170°	170°/170°		
Display notes	ISO 9241-307 - Pixel class II - anti-glare level; Color	Gamut: 100% sRGB; HDR (depending on display)		
Graphics				
Base unit	CELSIUS H5511	CELSIUS H5511 ESTAR		
TFT resolution (HDMI)	up to 3,840 x 2,160 @ 60 Hz	up to 3,840 x 2,160 @ 60 Hz		
Graphics brand name	NVIDIA® T500	NVIDIA® T500		
Graphics features	3 Display Support DirectX® 12 OpenGL® 4.5	3 Display Support DirectX® 12 OpenGL® 4.5		
Dedicated video memory	4 GB (GDDR6)	4 GB (GDDR6)		
nterfaces				
DC-in	Type-C powered			
Audio: line-in / line-out	1			
nternal microphones				
JSB 3.2 Gen1 (5 Gbps) total	2x digital array microphones			
JSB Type-C	2x Type-A (1 with Anytime USB charge functionality) 2 x Intel® Thunderbolt™ 4 (40Gbps), Power Delivery (15W), DP 1.4a			
Ethernet (RJ-45)	1x	(1500), 01 1.40		
Memory card slots	1 (USH-II) SD 4.0 Standard			
Memory Card Slots	SD/microSD card			
	SDHC/microSDHC card			
	SDXC/microSDXC card			
	Speed Class: up to UHS-II			
SmartCard slot	1x			
SIM card slot	1 (Micro-SIM, only for models with integrated 4G LTE module)			
nterface Module notes	1x Kensington Lock support			
Keyboard and pointing devices				
	Keyboard w/o touchstick (spill-resistant), Backlit keyboard w/o touchstick			
	Multi gesture touchpad with two mouse buttons			
Wireless technologies				
Bluetooth	v5.1	v5.1		
Integrated WLAN	Intel WiFi 6 AX201			
/O controller on board				
RAID support	0,1			
Power supply				
Rated voltage range	100 V - 240 V (AC Input)	100 V - 240 V (AC Input)		
Rated frequency range	50 Hz - 60 Hz	50 Hz - 60 Hz		
1st battery	Li-lon battery 4-cell, 69.7 Wh, 4515 mAh	Li-lon battery 4-cell, 69.7 Wh, 4515 mAh		
Runtime 1st battery	up to 10 hours (depending on configuration)	up to 10 hours (depending on configuration)		
Noise emission	Please refer to the Eco Declaration			

Standard noise emission	Please refer to the Eco Declaration			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	363.0 x 249.0 x 20.8 mm			
	14.3 x 9.8 x 0.82 inch			
Weight	from 1.9 kg			
Weight (lbs)	from 4.2 lbs			
Weight notes	Weight may vary depending on actual configuration			
Operating ambient temperature	5 - 35 °C (41 - 95 °F)			
Operating relative humidity	20 - 80 % (relative humidity, non-condensing)			
Compliance				
Product	CELSIUS H5511	CELSIUS H5511 ESTAR		
Europe	CE Marking			
Global	RoHS (EU & China)	RoHS (EU & China) ENERGY STAR® in progress EPEAT® Silver (dedicated regions) (planned) TCO Certification in progress		
Compliance link	https://sp.ts.fujitsu.com/sites/certificates			
Additional Software				
Additional software (preinstalled)	Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)			
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2021 Microsoft® Office Home and Business 2021 (Need to buy license to activate the pre-installed Microsoft Office. Purchase and activation only in the region in which it was acquired.)			
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN) Intel® vPro™ technology/iAMT (depending on processor)			
Manageability software	DeskView Client DeskView Instant BIOS Management			
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management			
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)			
Manageability link	http://www.fujitsu.com/fts/manageability			
Security				
Physical Security	Kensington Lock support	Kensington Lock support		
User Security	Embedded fingerprint sensor (optional) Embedded PalmSecure <sup>®</sup> sensor (optional) Hard disk password	Embedded fingerprint sensor (optional) Embedded PalmSecure <sup>®</sup> sensor (optional) Hard disk password		

Warranty		
Warranty period	3 years (depending on country)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
Digital bug fixes	Subject to availability and following their generic release for the product, bug fixes and function-preserving patches for product-related software (firmware) can be downloaded from the technical support at: https://support.ts.fujitsu. com/ free of charge by entering the respective product serial number. For application software supplied together with the product, please directly refer to the support websites of the respective software manufacturer.	
Product Support Services - the perf	ect extension	
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	5 years after end of product life	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

### **Recommended Accessories**



### More information

#### Fujitsu products, solutions & services

In addition to the FUJITSU Workstation CELSIUS H5511, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products www.fujitsu.com/global/products/ computing/

Software www.fujitsu.com/software/

### More information

Learn more about the FUJITSU Workstation CELSIUS H5511, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/emeia/CELSIUS

#### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.

Please find further information at http://www. fujitsu.com/global/about/environment



### Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/ emeia/resources/navigation/terms-of-use. html

Copyright 2020 Fujitsu Technology Solutions GmbH

### Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com 2022-04-01 EM-EN All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html Copyright 2020 Fujitsu Technology Solutions GmbH